



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

OAKLAND, CAL.

Week ended May 23.

Dead inspected.....	31
Rats trapped.....	380
Rats examined bacteriologically.....	380
Ships inspected.....	15
Certificates signed.....	4

BERKELEY, CAL.

Week ended May 17.

Dead inspected.....	6
Rats found dead.....	50
Rats trapped.....	193
Poisons placed.....	8,013

Week ended May 24.

Dead inspected.....	9
Premises inspected.....	398
Nuisances abated.....	33
Rats found dead.....	100
Rats trapped.....	144
Poisons placed.....	8,452
Notices served.....	48

Outgoing quarantine transactions.

Passed Assistant Surgeon Hobdy reports, May 20:

Week ended May 16:

Vessels fumigated and certified.....	53
Vessels certified.....	57

Statistics of plague at Seattle, Wash.

The last case of plague at Seattle died October 30, 1907. The last plague-infected rat was found April 30, 1907, and the diagnosis confirmed bacteriologically during the week ended May 9, 1908.

Report from Seattle, Wash.—Plague-prevention work.

Passed Assistant Surgeon Glover reports, May 25:

SEATTLE, WASH.

Week ended May 23.

Rats received.....	1,114
Rats necropsied.....	1,079
Plague-infected rats to date.....	11
Ships inspected.....	6
Ships fumigated.....	3

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES
OF THE UNITED STATES—UNTABULATED.

FLORIDA.—Reports from the State board of health for the week ended May 23, 1908, show as follows: Enteric fever—*Jacksonville*, 4 cases; *Tampa*, 3 cases; *Daytona*, 2 cases; *Lloyd*, 1 case. Diphtheria—

Jacksonville, 1 case. Tuberculosis—*Jacksonville*, 4 cases; *Tampa*, 3 cases.

ILLINOIS.—Year ended December 31, 1907. Total number of deaths reported, 62,854, including diphtheria 1,015, enteric fever 1,119, measles 413, scarlet fever 880, smallpox 5, whooping cough 530, and 7,142 from tuberculosis.

IOWA—*Keokuk*.—Month of April, 1908: Estimated population, 16,000. Total number of deaths, 18, including enteric fever 1, whooping cough 1, and 1 from tuberculosis. Cases: Enteric fever 20, whooping cough 1, and scarlet fever 2.

MINNESOTA—*St. Paul*.—Month of April, 1908. Estimated population, 220,000. Total number of deaths reported to the department of health, 212, including diphtheria 1, scarlet fever 3, enteric fever 2, measles 1, whooping cough 3, and 27 from tuberculosis. Cases: Diphtheria 38, measles 65, scarlet fever 47, and smallpox 59.

OHIO—*East Liverpool*.—Month of April, 1908. Estimated population, 20,000. Total number of deaths, 25, including enteric fever 1, and 3 from tuberculosis. Cases: Enteric fever 1, diphtheria 2, and tuberculosis 3.

PENNSYLVANIA—*Johnstown*.—Two weeks ended May 23, 1908. Estimated population, 65,000. Total number of deaths, 25, including enteric fever 1, and 1 from scarlet fever. Cases: Diphtheria 6, measles 64, scarlet fever 4, whooping cough 18, and tuberculosis 2.

SOUTH CAROLINA—*Charleston*.—Month of January,^a 1908. Estimated population, 65,000. Total number of deaths, 121, including enteric fever 1, and tuberculosis 17. Cases: Diphtheria 2, enteric fever 7, and scarlet fever 1.

Month of February,^a 1908. Total number of deaths 124, including enteric fever 2, whooping cough 1, and 19 from tuberculosis. Cases: Diphtheria 3 and enteric fever 3.

Month of March,^a 1908. Total number of deaths 116, including enteric fever 1, whooping cough 1, and 16 from tuberculosis. Cases: Diphtheria 4, enteric fever 2, and scarlet fever 1.

UTAH.—Month of April, 1908. Reports to the State board of health from 27 counties, having an estimated population of 346,873, show as follows: Total number of deaths 365, including diphtheria 10, enteric fever 3, measles 6, scarlet fever 2, whooping cough 2, and 8 from tuberculosis. Cases: Diphtheria 74, enteric fever 30, measles 621, scarlet fever 161, smallpox 43, whooping cough 77, and tuberculosis 15 (incomplete).

^aReceived out of regular order.